



TRALERT® EDGE SERIES

The compact powerhouses in the range.

The Edge Series from TRALERT® is a series of powerful and highly compact LED work lights. With these five work lights with wide light distribution, you can create a perfectly lit working area for yourself. The strength of this series lies in its size and placement. The distinctive WR-2428.1 and WF-4856 are particularly eye-catching. Thanks to their very compact size and mounting angle, these lights can be mounted in the smallest of spaces. Mounting is very easy and versatile thanks to the included mounting brackets, which provide a mounting angle of 35° or 48°. Find out more about the TRALERT® Edge Series on the following pages.



Edge Series

The Edge Series from TRALERT® is a series of powerful and highly compact LED work lights, consisting of five unique models. These work lights with wide light distribution allow you to create a perfectly illuminated work area. You can choose from a compact round model, a compact square model, two corner mounting LED work lights and a unique flood beam.

The strength of this series lies in its size and placement. Thanks to its very compact size, this series can be installed in even the smallest of spaces. This means that even in small spaces, a very powerful flood beam can be installed that evenly illuminates the entire work area.



TRALERT® Edge series (Art. WF-4038V)

Features:

- 3800 lumen
- Flood beam
- Built-in Deutsch-connector
- 9-36V multi-voltage
- 4x 10W LEDs
- Dimensions: 85 x 75 x 55 mm
- 2.70A at 12V / 1.40A at 24V
- 45 lux at 10m / 1 lux at 67m
- Beam angle 60°



Built-in DT connector:





TRALERT® Edge Series (Art. WF-4038R)

Features:

- 3800 lumen
- Flood beam
- Built-in Deutsch-connector
- 9-36V multi-voltage
- 4x 10W LEDs
- Dimensions: 85 x 58 mm
- 2.70A at 12V / 1.40A at 24V
- 54 lux at 10m / 1 lux at 74m
- Beam angle 60°




Built-in DT connector:



TRALERT® Edge Series (Art. WR-2428.1)

Features:


- 2800 lumen
- Flood beam / R23 reverse light
- 200 cm cable + Deutsch-connector
- 9-36V multi-voltage
- 4x 6W LEDs
- Dimensions: 130 x 42 x 56 mm
- 1.60A at 12V / 0.80A at 24V
- 34 lux at 10m / 1 lux at 59m
- Beam angle 70°
- Two mounting angles available



TRALERT® Edge series (Art. WF-4856)

Features:


- 5600 lumen
- Flood beam
- 40 cm cable + Deutsch-connector
- 9-36V multi-voltage
- 8x 6W LEDs
- Size: 242 x 42 x 56 mm
- 2.95A at 12V / 1.40A at 24V
- 64 lux at 10m / 1 lux at 80m
- Beam angle 70°
- Two mounting angles available



TRALERT® Edge series (Art. WF-6056)

Features:

- 5600 lumen
- Flood beam
- Built-in Deutsch connector
- 9-36V multi-voltage
- 6x 10W LEDs
- Dimensions: 137 x 90 x 67.5 mm
- 4.12A at 12V / 2.1A at 24V
- 76 lux at 10m / 1 lux at 88m
- Beam angle 3x 120°
- Unique arrangement of the LEDs



Built-in DT connector:

